

Certificate of Analysis

Compliance Adult Use OCM-CPL-2022-00001 ACT Laboratories (NY) 16 Corporate Drive, Halfmoon, New York 5172272612 1 of 6 kimberlyk@actlab.com

Bristol Extracts LLC

Order No.: ONYBRI0102-0004128 4376 State Route 64 New York, 14424 cdevine@bristolextracts.com 9177435534

Sample: SNYBRI0102-PFCU-0011858

Strain: Stink Badger, Unit Weight: 3.5000g Batch#: SD-Eighth-25002-SB, Batch Size: 3200

Sample Received: 01/02/2025 03:20 Report Created: 01/08/2025 23:01

Sampling SOP 204-NY

Bulk Eighth Packs - Stink Badger

Plant, Flower - Cured






Results

826.940 mg/unit	23.720 mg/unit _{D9-ТНС}
ND Total CBD	748.95 mg/unit
870.95 mg/unit Total Cannabinoids	2.399% Total Terpenes

Tests Summary

Dominant Terpenes





Limberly Lisolopsky



Certificate of Analysis

Compliance Adult Use

OCM-CPL-2022-00001 ACT Laboratories (NY) 16 Corporate Drive, Halfmoon, New York 5172272612 2 of 6 kimberlyk@actlab.com

Bristol Extracts LLC

Order No.: ONYBRI0102-0004128

4376 State Route 64 New York, 14424 cdevine@bristolextracts.com

9177435534

Sample: SNYBRI0102-PFCU-0011858

Strain: Stink Badger, Unit Weight: 3.5000g Batch#: SD-Eighth-25002-SB, Batch Size: 3200

Sample Received: 01/02/2025 03:20 Report Created: 01/08/2025 23:01

Sampling SOP 204-NY



Pass

ND Passed

Pass

Pass

Bulk Eighth Packs - Stink Badger

Plant, Flower - Cured

Cannabinoids

SOP 801-NY

Date/Time Tested: 01/03/2025

17:53

Analyte	LOQ (ug/mL)	mg/g	%	mg/unit
CBDV	2,186.96	ND	ND	ND
CBDa	2,214.50	< L0Q	< LOQ	< L0Q
CBGa	2,186.96	5.80	0.58	20.29
CBG	2,186.96	< L0Q	< LOQ	< LOQ
CBD	2,214.50	ND	ND	ND
THCV	2,214.50	ND	ND	ND
CBN	2,214.50	ND	ND	ND
D9-THC	2,106.57	6.78	0.68	23.72
D8-THC	2,214.50	ND	ND	ND
(6aR,9S)-d10-THC	2,214.50	ND	ND	ND
(6aR,9R)-d10-THC	2,214.50	ND	ND	ND
CBC	2,186.96	ND	ND	ND
THCa	2,106.57	236.27	23.63	826.94
Total CBD		ND	ND	ND
Total THC		213.98	21.40	748.95
Total Cannabinoids		248.84	24.88	870.95

Notes: Total THC = THCa * $0.877 + \Delta 8$ -THC + $\Delta 9$ -THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THCTotal CBD = CBDa * 0.877 + CBDTotal Cannabinoids= Sum of all cannabinoidsLOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Moisture

Date/Time Tested: 01/04/2025

09:55

Analyte	Limit (%)	%	Status
Moisture	15	9.1	Passed

Microbials

SOP 401-NY SOP 619-NY Date/Time Tested: 01/07/2025

15:20

Tested

Analyte LOQ (CFU/g) Limit (CFU/g) CFU/g Status Aerobic Bacteria 2,803,356 Tested E. Coli 0 ND Passed Yeast & Mold 276.243 Tested Salmonella ND Passed Aspergillus Flavus 0 ND Passed Aspergillus Fumigatus 0 ND Passed Aspergillus Niger ND Passed

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

Aspergillus Terreus

Date/Time Tested: 01/04/2025

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.39	Passed

Foreign Matter

Date/Time Tested: 01/03/2025

14:49

Pass

Analyte	%
FM Stems	0
FM Other	0
FM Mammal Excrement	Absent



Limberly Kisolopsky

indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



cdevine@bristolextracts.com

Order No.: ONYBRI0102-0004128

Certificate of Analysis

Compliance Adult Use OCM-CPL-2022-00001 ACT Laboratories (NY) 16 Corporate Drive, Halfmoon, New York 5172272612 3 of 6 kimberlyk@actlab.com

Sample: SNYBRI0102-PFCU-0011858

Strain: Stink Badger, Unit Weight: 3.5000g Batch#: SD-Eighth-25002-SB, Batch Size: 3200 Sample Received: 01/02/2025 03:20

Report Created: 01/08/2025 23:01

Sampling SOP 204-NY

Bulk Eighth Packs - Stink Badger

Plant, Flower - Cured

4376 State Route 64

New York, 14424

9177435534



Terpenes

SOP 620-NY

Date/Time Tested: 01/05/2025 13:05

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL) %	Status
Total Terpenes		115,000	2.399	Passed	Isoborneol	87	ND	Tested
b-Caryophyllene	87		0.833	Tested	DL-Menthol	87	ND	Tested
Limonene	87		0.445	Tested	Borneol	87	< LOQ	Tested
a-Humulene	87		0.363	Tested	Nerol	87	ND	Tested
a-Bisabolol	87		0.204	Tested	Pulegone	87	ND	Tested
b-Myrcene	87		0.118	Tested	Geraniol	87	ND	Tested
trans-b-Farnesene	87		0.100	Tested	Geranyl Acetate	87	ND	Tested
cis-Nerolidol	87		0.072	Tested	a-Cedrene	87	ND	Tested
b-Pinene	87		0.061	Tested	Eucalyptol	87	ND	Tested
trans-b-Ocimene	87		0.061	Tested	p-Cymene	87	ND	Tested
a-Pinene	87		0.048	Tested	Valencene	87	ND	Tested
Fenchol	87		0.032	Tested	a-Terpinene	87	ND	Tested
trans-Nerolidol	87		0.024	Tested	Sabinene Hydrate	87	ND	Tested
Terpineol	87		0.020	Tested	Guaiol	87	ND	Tested
Caryophyllene Oxide	87		0.017	Tested	Terpinolene	87	ND	Tested
Camphene	87		< L0Q	Tested	Cedrol	87	ND	Tested
g-Terpinene	87		ND	Tested	d-3-Carene	87	ND	Tested
Fenchone	87		< LOQ	Tested	a-Phellandrene	87	ND	Tested
Isopulegol	87		ND	Tested	Sabinene	87	ND	Tested
Camphor	87		ND	Tested	Linalool	87	ND	Tested

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Limberly Kusolopsky

^{*} indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



cdevine@bristolextracts.com

Order No.: ONYBRI0102-0004128

Certificate of Analysis

Compliance Adult Use

OCM-CPL-2022-00001 ACT Laboratories (NY) 16 Corporate Drive, Halfmoon, New York 5172272612 kimberlyk@actlab.com

Sample: SNYBRI0102-PFCU-0011858

Strain: Stink Badger, Unit Weight: 3.5000g Batch#: SD-Eighth-25002-SB, Batch Size: 3200 Sample Received: 01/02/2025 03:20

Report Created: 01/08/2025 23:01 Sampling SOP 204-NY

Bulk Eighth Packs - Stink Badger

Plant, Flower - Cured

4376 State Route 64

New York, 14424

9177435534



Pass

Mycotoxins

SOP 808-NY

Date/Time Tested: 01/05/2025 00:22

Analyte LOQ (ng/g) Limit (ng/g) ng/g **Status** В1 5.0 ND Tested B2 5.0 ND Tested 5.0 G1 ND Tested 5.0 ND G2 Tested Ochratoxin A 5.0 20.0 ND **Passed** Total Aflatoxins 20.0 ND**Passed** Total Mycotoxins ND Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP 250-NY

Date/Time Tested: 01/06/2025 12:54

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.190	2.000	ND	Passed
Arsenic	0.190	0.200	ND	Passed
Cadmium	0.190	0.200	< LOQ	Passed
Chromium	0.190	110.000	ND	Passed
Copper	0.227	30.000	18.721	Passed
Mercury	0.045	0.100	ND	Passed
Nickel	0.227	5.000	2.124	Passed
Lead	0.190	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Limberly Kisolopsky

^{*} indicates a subcontracted result. † indicates a result not regulated by OCM. • indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



cdevine@bristolextracts.com

Order No.: ONYBRI0102-0004128

Certificate of Analysis

Compliance Adult Use

OCM-CPL-2022-00001 ACT Laboratories (NY) 16 Corporate Drive, Halfmoon, New York 5172272612 kimberlyk@actlab.com **5 of 6**

Sample: SNYBRI0102-PFCU-0011858

Strain: Stink Badger, Unit Weight: 3.5000g Batch#: SD-Eighth-25002-SB, Batch Size: 3200

Sample Received: 01/02/2025 03:20 Report Created: 01/08/2025 23:01

Sampling SOP 204-NY

Bulk Eighth Packs - Stink Badger

Plant, Flower - Cured

4376 State Route 64

New York, 14424

9177435534



Pesticides

SOP 814-NY

Date/Time Tested: 01/04/2025 13:21

Pass

Aceplate 0.09 0.40 ND Passed Acequinocyl Acequinocyl 0.09 2.00 ND Passed Acetamiprid Acetamiprid 0.09 0.20 ND Passed Aldicarb Aldicarb 0.09 0.20 ND Passed Bifenacate Bifenazate 0.09 0.20 ND Passed Bifenatare Boscalid 0.09 0.20 ND Passed Boscalid Carbaryl 0.09 0.20 ND Passed Carbofuran Carbofuran 0.09 0.20 ND Passed Chlorantraniliprole Choryprifos 0.09 0.20 ND Passed Chlorantraniliprole Compatibos 0.09 0.20 ND Passed Chlorantraniliprole Commatibos 0.09 0.20 ND <th>Analyte</th> <th>LOQ (ug/g)</th> <th>Limit (ug/g)</th> <th>ug/g</th> <th>Status</th>	Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Aceganiporyl 0.09 2.00 ND Passed Acetamiprid Acetamiprid 0.09 0.20 ND Passed Aldicarb Aldicarb 0.09 0.40 ND Passed Blentarch Bifenarate 0.09 0.20 ND Passed Blenthrin Boscalid 0.09 0.20 ND Passed Blenthrin Boscalid 0.09 0.20 ND Passed Carboryl Carboryl 0.09 0.20 ND Passed Carboryn Carboryl 0.09 0.20 ND Passed Chorantraniliprole Carboryl 0.09 0.20 ND Passed Chorantraniliprole Coumagnos 0.09 0.20 ND Passed	Abamectin	0.36	0.50	ND	Passed
Acetamiprid 0.09 0.20 ND Passed Aldicarb Aldicarb 0.09 0.40 ND Passed Azoxystrobin Aldicarb 0.09 0.20 ND Passed Bifenazate Bifenazate 0.09 0.20 ND Passed Boscalid Carbaryl 0.09 0.40 ND Passed Carbaryl Carbaryl 0.09 0.20 ND Passed Chiorantraniliprole Chiorantraniliprole 0.09 0.20 ND Passed Chiorantraniliprole Chiorantraniliprole 0.09 0.20 ND Passed Chiorantraniliprole Comaphos 0.09 0.20 ND Passed Chiorantraniliprole Comaphos 0.09 0.20 ND Passed Chiorantraniliprole Comaphos 0.09 1.00 ND Passed Chiorantraniliprole Cyfluthrin 0.09 1.00 ND Passed Chiorantraniliprole Cyfluthrin 0.09 1.00 ND Passed Dimethomethin Daminozide 0.09 1.00 <td>Acephate</td> <td>0.09</td> <td>0.40</td> <td>ND</td> <td>Passed</td>	Acephate	0.09	0.40	ND	Passed
Aldicarb 0.09 0.40 ND Passed Bressed Brenarate Bifenatare 0.09 0.20 ND Passed Bifenatrate Bifenthrin 0.09 0.20 ND Passed Bifenthrin Boscalid 0.09 0.40 ND Passed Carborly Carborluran 0.09 0.20 ND Passed Carborluran Chlorantraniliprole 0.09 0.20 ND Passed Chlorantraniliprole Chlorapyrifos 0.09 0.20 ND Passed Chlorantraniliprole Chorantraniliprole 0.09 0.20 ND Passed Chlorantraniliprole Chiorantraniliprole 0.09 0.20 ND Passed Chlorantraniliprole Cypermethrin 0.09 1.00 ND Passed Chlorantraniliprole	Acequinocyl	0.09	2.00	ND	Passed
Azoystobin 0.09 0.20 ND Passed Bifenazate Bifenazate 0.09 0.20 ND Passed Bifenthrin Boscalid 0.09 0.20 ND Passed Boscalid Carbaryl 0.09 0.20 ND Passed Carbofuran Carbofuran 0.09 0.20 ND Passed Chlorantraniliprole Chorantraniliprole 0.09 0.20 ND Passed Chloraprifos Clofentezine 0.09 0.20 ND Passed Comaphos Cyfentezine 0.09 0.00 ND Passed Cyfentezine Cymanphos 0.09 1.00 ND Passed Dymansed Cyfentezine Dimethoai 0.09 1.00 ND Passed Dim	Acetamiprid	0.09	0.20	ND	Passed
Bifenazate 0.09 0.20 ND Passed Boscalid Boscalid 0.09 0.40 ND Passed Boscalid Carbofural 0.09 0.20 ND Passed Carbofuran Chlorantraniliprole 0.09 0.20 ND Passed Chlorantraniliprole Chlorapyrifos 0.09 0.20 ND Passed Chlorantraniliprole Chorantraniliprole 0.09 0.20 ND Passed Chlorantraniliprole Chiorapyrifos 0.09 0.20 ND Passed Chlorantraniliprole Cypermethrin 0.09 0.00 ND Passed Cypermethrin Daminozide 0.09 0.00 ND Passed Cypermethrin Daminozide	Aldicarb	0.09	0.40	ND	Passed
Bifenthrin 0.09 0.20 ND Passed Boscalid Carbaryl 0.09 0.20 ND Passed Carborun Carboruna 0.09 0.20 ND Passed Carboruna Chlorantraniliprole 0.09 0.20 ND Passed Chlorantraniliprole Chlorapyrifos 0.09 0.20 ND Passed Chlorantraniliprole Comenaphos 0.09 0.20 ND Passed Chlorantraniliprole Coumaphos 0.09 1.00 ND Passed Cyfluthrin Cypermethrin 0.09 1.00 ND Passed Dymanicale Opaminozide 0.09 1.00 ND Passed Diazinon Dichlorvos 0.09 0.20 ND Passed Dimethoate Dimethoate 0.09 0.00 ND Passed Dimethomorph Ethoprophos 0.09 0.00 ND Passed Dimethomorph Umaphomorph 0.09 0.00 ND Passed Etofenprox Ethofenprox 0.09 0.00 ND	Azoxystrobin	0.09	0.20	ND	Passed
Boscalid 0.09 0.40 ND Passed Carbaryl Carbofuran 0.09 0.20 ND Passed Carbofuran Chlorantraniliprole 0.09 0.20 ND Passed Chloraptraniliprole Chlorpyrifos 0.09 0.20 ND Passed Chloraptrifos Clofentezine 0.09 0.20 ND Passed Chloraptrifos Cumaphos 0.09 1.00 ND Passed Cyfluthrin Cyfluthrin 0.46 1.00 ND Passed Daminozide Diazinon 0.09 1.00 ND Passed Daminozide Diazinon 0.09 1.00 ND Passed Diazinon Dicklorvos 0.09 1.00 ND Passed Diazinon Dimethoate 0.09 1.00 ND Passed Diazinon Dimethoate 0.09 1.00 ND Passed Ethoprophos Etofenprox 0.09 0.20 ND Passed Etoprophos Etofenprox 0.09 0.20 ND Passed Etoxazole <td>Bifenazate</td> <td>0.09</td> <td>0.20</td> <td>ND</td> <td>Passed</td>	Bifenazate	0.09	0.20	ND	Passed
Carbaryl 0.09 0.20 ND Passed Carbofuran 0.09 0.20 ND Passed Chlorantraniliprole 0.09 0.20 ND Passed Chlorpyrifos 0.09 0.20 ND Passed Clofentezine 0.09 0.20 ND Passed Coumaphos 0.09 1.00 ND Passed Cyfluthrin 0.46 1.00 ND Passed Cypermethrin 0.09 1.00 ND Passed Daminozide 0.09 1.00 ND Passed Dichlorvos 0.09 1.00 ND Passed Dichlorvos 0.09 1.00 ND Passed Dimethoate 0.09 1.00 ND Passed Dimethomorph 0.09 1.00 ND Passed Etofenprox 0.09 0.20 ND Passed Etosazole 0.09 0.40 ND Passed <t< td=""><td>Bifenthrin</td><td>0.09</td><td>0.20</td><td>ND</td><td>Passed</td></t<>	Bifenthrin	0.09	0.20	ND	Passed
Carboruran 0.09 0.20 ND Passed Chlorantraniliprole Chlorantraniliprole 0.09 0.20 ND Passed Chlorprifos Clofentezine 0.09 0.20 ND Passed Coumaphos Coumaphos 0.09 1.00 ND Passed Coumaphos Cyfluthrin 0.46 1.00 ND Passed Cypermethrin Daminozide 0.09 1.00 ND Passed Diachioros Diazinon 0.09 0.20 ND Passed Diachioros Dichlorvos 0.09 1.00 ND Passed Diachioros Dimethoate 0.09 0.20 ND Passed Diachioros Dimethoate 0.09 0.20 ND Passed Ethogrophos Ethoprophos 0.09 0.20 ND Passed Ethogrophos Etoxazole 0.09 0.40 ND Passed Etoxazole Fenhexamid 0.09 0.20 ND Passed Fenboxycarb Fenpryoximate 0.09 0.40 ND Passed Fip	Boscalid	0.09	0.40	ND	Passed
Chlorantraniliprole 0.09 0.20 ND Passed Chlorpyrifos 0.09 0.20 ND Passed Coumaphos 0.09 1.00 ND Passed Cyfuthrin 0.46 1.00 ND Passed Cyptermethrin 0.09 1.00 ND Passed Diazinon 0.09 1.00 ND Passed Diazinon 0.09 0.20 ND Passed Dichlorvos 0.09 1.00 ND Passed Dimethoate 0.09 0.20 ND Passed Ethoprophos 0.09 1.00 ND Passed Ethoprophos 0.09 0.20 ND Passed Etoragole 0.09 0.40 ND Passed Etoragole 0.09 0.20 ND Passed Etoragole 0.09 0.20 ND Passed Etoragole 0.09 0.20 ND Passed	Carbaryl	0.09	0.20	ND	Passed
Chlorpyrifos 0.09 0.20 ND Passed Clofentezine 0.09 0.20 ND Passed Coumaphos 0.09 1.00 ND Passed Cypermethrin 0.46 1.00 ND Passed Opermethrin 0.09 1.00 ND Passed Diazinon 0.09 1.00 ND Passed Diazinon 0.09 1.00 ND Passed Dimethores 0.09 1.00 ND Passed Dimethoare 0.09 1.00 ND Passed Ethorrophos 0.09 1.00 ND Passed Etofenprox 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Fenhexamid 0.09 0.20 ND Passed Fenoxycarb 0.09 0.40 ND Passed Fenoxycarb 0.09 0.40 ND Passed	Carbofuran	0.09	0.20	ND	Passed
Clofentezine 0.09 0.20 ND Passed Comaphos Comaphos 0.09 1.00 ND Passed Cyfluthrin Cyfluthrin 0.46 1.00 ND Passed Daminozide Opermethrin 0.09 1.00 ND Passed Daminozide Diazinon 0.09 0.20 ND Passed Dimethoros Dicklorvos 0.09 0.20 ND Passed Dimethoros Dimethoate 0.09 0.20 ND Passed Dimethoror Dimethomorph 0.09 0.20 ND Passed Dimethomorph Ethoprophos 0.09 0.20 ND Passed Dimethomorph Etosazole 0.09 0.40 ND Passed Dimethomorph Etosazole 0.09 0.40 ND Passed Dimethomorph Enoxycarb 0.09 0.20 ND Passed Dimethomorph Fenoxycarb 0.09 0.40 ND Passed Dimethomorph Fenoxycarb 0.09 0.40 ND Passed Dimethomorph	Chlorantraniliprole	0.09	0.20	ND	Passed
Coumaphos 0.09 1.00 ND Passed Cyfluthrin Cypermethrin 0.09 1.00 ND Passed Daninozide Daminozide 0.09 1.00 ND Passed Diazinon Dichlorvos 0.09 1.00 ND Passed Diazinon Dimethoate 0.09 1.00 ND Passed Dimethoate Dimethomorph 0.09 0.20 ND Passed Dimethomorph Ethogrophos 0.09 0.20 ND Passed Dimethomorph Etofenprox 0.09 0.20 ND Passed Dimethomorph Fenoxycarb 0.09 0.20 ND Passed Dimethomor	Chlorpyrifos	0.09	0.20	ND	Passed
Cyfluthrin 0.46 1.00 ND Passed Cypermethrin 0.09 1.00 ND Passed Daminozide 0.09 1.00 ND Passed Diazinon 0.09 0.20 ND Passed Dichlorvos 0.09 0.20 ND Passed Dimethoate 0.09 0.20 ND Passed Dimethomorph 0.09 0.20 ND Passed Ethoprophos 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 0.20 ND Passed Fennoxycarb 0.09 0.20 ND Passed Fipronil 0.09 0.40 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed	Clofentezine	0.09	0.20	ND	Passed
Cypermethrin 0.09 1.00 ND Passed Daminozide Daminozide 0.09 1.00 ND Passed Dimethromogh Dichlorvos 0.09 1.00 ND Passed Dimethromogh Dimethomogh 0.09 1.00 ND Passed Dimethromogh Ethoprophos 0.09 0.20 ND Passed Dimethromogh Ethofenprox 0.09 0.40 ND Passed Dimethromogh Etofenprox 0.09 0.20 ND Passed Dimethromogh Fenhexamid 0.09 0.20 ND Passed Dimethromogh Fenhexamid 0.09 0.40 ND Passed Dimethromogh Fenpyroximate 0.09 0.40 ND Passed Dimethromogh Fipronil 0.09 0.40 ND Pas	Coumaphos	0.09	1.00	ND	Passed
Daminozide 0.09 1.00 ND Passed Diazinon 0.09 0.20 ND Passed Dichlorvos 0.09 1.00 ND Passed Dimethoate 0.09 0.20 ND Passed Dimethomorph 0.09 1.00 ND Passed Ethoprophos 0.09 0.20 ND Passed Etofazole 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenoxycarb 0.09 0.20 ND Passed Fenoxycarb 0.09 0.40 ND Passed Fenoryimate 0.09 0.40 ND Passed Filpronil 0.09 0.40 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazali 0.09 0.40 ND Passed	Cyfluthrin	0.46	1.00	ND	Passed
Diazinon 0.09 0.20 ND Passed Dichlorvos 0.09 1.00 ND Passed Dimethoate 0.09 0.20 ND Passed Dimethomorph 0.09 1.00 ND Passed Ethoprophos 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 0.20 ND Passed Fenpyroximate 0.09 0.40 ND Passed Fipronil 0.09 0.40 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazalil 0.09 0.40 ND Passed Imazolicyid 0.09 0.40 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed	Cypermethrin	0.09	1.00	ND	Passed
Dichlorvos 0.09 1.00 ND Passed Dimethoate 0.09 0.20 ND Passed Dimethomorph 0.09 1.00 ND Passed Ethoprophos 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 0.20 ND Passed Fenoxycarb 0.09 0.20 ND Passed Fenoryroximate 0.09 0.40 ND Passed Figornil 0.09 0.40 ND Passed Fludioxanid 0.09 0.40 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazali 0.09 0.40 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed	Daminozide	0.09	1.00	ND	Passed
Dimethoate 0.09 0.20 ND Passed Dimethomorph 0.09 1.00 ND Passed Ethoprophos 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 1.00 ND Passed Fenoxycarb 0.09 0.20 ND Passed Fipronil 0.09 0.40 ND Passed Fludioxomid 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazalil 0.09 0.40 ND Passed Imazoliri 0.09 0.40 ND Passed Kr	Diazinon	0.09	0.20	ND	Passed
Dimethoate 0.09 0.20 ND Passed Dimethomorph 0.09 1.00 ND Passed Ethoprophos 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 1.00 ND Passed Fenoxycarb 0.09 0.20 ND Passed Fipronil 0.09 0.40 ND Passed Fiproximate 0.09 0.40 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazalil 0.09 0.20 ND Passed Imazoliri 0.09 0.40 ND Passed Imazoliri 0.09 0.40 ND Passed Imazoliri 0.09 0.40 ND Passed	Dichlorvos	0.09	1.00	ND	Passed
Dimethomorph 0.09 1.00 ND Passed Ethoprophos 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 1.00 ND Passed Fenoxycarb 0.09 0.40 ND Passed Fipronil 0.09 0.40 ND Passed Fludioxoril 0.09 0.40 ND Passed Fludioxoril 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Mevinphos 0.09 0.40 ND Passed Mevinphos 0.09 0.40 ND Passed		0.09	0.20	ND	Passed
Ethoprophos 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 1.00 ND Passed Fenoxycarb 0.09 0.40 ND Passed Fenopyroximate 0.09 0.40 ND Passed Flonicamid 0.09 0.40 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Mevinphos 0.09 0.40 ND Passed Mevinphos 0.09 0.40 ND Passed Metalaxyl 0.09 0.20 ND Passed	Dimethomorph	0.09	1.00	ND	Passed
Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenbexamid 0.09 1.00 ND Passed Fenoxycarb 0.09 0.20 ND Passed Fenpyroximate 0.09 0.40 ND Passed Fipronil 0.09 0.40 ND Passed Fludioxonid 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indoclo-3 Butyric Acid 0.11 1.00 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Mevinphos 0.09 0.20 ND Passed Metalaxyl 0.09 0.20 ND ND Passed		0.09	0.20	ND	Passed
Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 1.00 ND Passed Fenoxycarb 0.09 0.20 ND Passed Fenpyroximate 0.09 0.40 ND Passed Fipronil 0.09 0.40 ND Passed Fludioxonid 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indole-3 Butyric Acid 0.09 0.40 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Mevinphos 0.09 0.20 ND Passed Metalaxyl 0.09 0.20 ND Passed		0.09	0.40	ND	Passed
Fenoxycarb 0.09 0.20 ND Passed Fenpyroximate 0.09 0.40 ND Passed Fipronil 0.09 0.40 ND Passed Flonicamid 0.09 1.00 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.20 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indole-3 Butyric Acid 0.11 1.00 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Mevinphos 0.09 0.20 ND Passed Metalaxyl 0.09 0.20 ND Passed	·	0.09	0.20	ND	Passed
Fenoxycarb 0.09 0.20 ND Passed Fenpyroximate 0.09 0.40 ND Passed Fipronil 0.09 0.40 ND Passed Flonicamid 0.09 1.00 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.20 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indole-3 Butyric Acid 0.11 1.00 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Mevinphos 0.09 0.20 ND Passed Metalaxyl 0.09 0.20 ND Passed	Fenhexamid	0.09	1.00	ND	Passed
Fenpyroximate 0.09 0.40 ND Passed Fipronil 0.09 0.40 ND Passed Flonicamid 0.09 1.00 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 1.00 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indole-3 Butyric Acid 0.11 1.00 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Malathion 0.09 0.20 ND Passed Mevinphos 0.09 0.20 ND Passed Metalaxyl 0.09 0.20 ND Passed	Fenoxycarb	0.09	0.20		
Fipronil 0.09 0.40 ND Passed Flonicamid 0.09 1.00 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 1.00 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indole-3 Butyric Acid 0.11 1.00 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Malathion 0.09 0.20 ND Passed Mevinphos 0.09 1.00 ND Passed Metalaxyl 0.09 0.20 ND Passed	•	0.09	0.40	ND	Passed
Flonicamid 0.09 1.00 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 1.00 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indole-3 Butyric Acid 0.11 1.00 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Malathion 0.09 0.20 ND Passed Mevinphos 0.09 1.00 ND Passed Metalaxyl 0.09 0.20 ND Passed		0.09	0.40	ND	Passed
Hexythiazox0.091.00NDPassedImazalil0.090.20NDPassedImidacloprid0.090.40NDPassedIndole-3 Butyric Acid0.111.00NDPassedKresoxim Methyl0.090.40NDPassedMalathion0.090.20NDPassedMevinphos0.091.00NDPassedMetalaxyl0.090.20NDPassed	•	0.09	1.00	ND	Passed
Hexythiazox0.091.00NDPassedImazalil0.090.20NDPassedImidacloprid0.090.40NDPassedIndole-3 Butyric Acid0.111.00NDPassedKresoxim Methyl0.090.40NDPassedMalathion0.090.20NDPassedMevinphos0.091.00NDPassedMetalaxyl0.090.20NDPassed	Fludioxonil	0.09	0.40	ND	Passed
Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indole-3 Butyric Acid 0.11 1.00 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Malathion 0.09 0.20 ND Passed Mevinphos 0.09 1.00 ND Passed Metalaxyl 0.09 0.20 ND Passed		0.09	1.00	ND	Passed
Imidacloprid0.090.40NDPassedIndole-3 Butyric Acid0.111.00NDPassedKresoxim Methyl0.090.40NDPassedMalathion0.090.20NDPassedMevinphos0.091.00NDPassedMetalaxyl0.090.20NDPassed	•				
Indole-3 Butyric Acid0.111.00NDPassedKresoxim Methyl0.090.40NDPassedMalathion0.090.20NDPassedMevinphos0.091.00NDPassedMetalaxyl0.090.20NDPassed					
Kresoxim Methyl0.090.40NDPassedMalathion0.090.20NDPassedMevinphos0.091.00NDPassedMetalaxyl0.090.20NDPassed	·				
Malathion0.090.20NDPassedMevinphos0.091.00NDPassedMetalaxyl0.090.20NDPassed	•	0.09	0.40	ND	
Mevinphos0.091.00NDPassedMetalaxyl0.090.20NDPassed	•				
Metalaxyl 0.09 0.20 ND Passed					
•	·				
Methiocarb 0.09 0.20 ND Passed	Methiocarb	0.09	0.20	ND	Passed
Methomyl 0.09 0.40 ND Passed					
		0.00	-	.,,_	



Limberly Kusolopsky

^{*} indicates a subcontracted result. † indicates a result not regulated by OCM. • indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



cdevine@bristolextracts.com

Order No.: ONYBRI0102-0004128

Certificate of Analysis

Compliance Adult Use OCM-CPL-2022-00001 ACT Laboratories (NY) 16 Corporate Drive, Halfmoon, New York 5172272612 6 of 6 kimberlyk@actlab.com

Sample: SNYBRI0102-PFCU-0011858

Strain: Stink Badger, Unit Weight: 3.5000g Batch#: SD-Eighth-25002-SB, Batch Size: 3200

Sample Received: 01/02/2025 03:20 Report Created: 01/08/2025 23:01

Sampling SOP 204-NY

Bulk Eighth Packs - Stink Badger

Plant, Flower - Cured

4376 State Route 64 New York, 14424

9177435534



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.06	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.11	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



