

**Bristol Extracts**  
 Order No.: ONYBRI0128-0004568  
 4376 State Route 64  
 Canandaigua, New York, 14424  
 admin@bristolextracts.com

**Sample: SNYBRI0128-CVAP-0012460**  
 Unit Weight: 1.0000g  
 Batch#: 25028-CN, Batch Size: 1500  
 Sample Received: 01/28/2025 06:05  
 Report Created: 02/04/2025 19:47  
 Sampling SOP 204-NY

**SFG Vape-Chem Noir-1.0g**  
 Concentrates & Extracts, Vape




## Results

|   |                                    |
|---|------------------------------------|
| <b>772.90 mg/unit</b><br>D9-THC             | <b>48.31 mg/unit</b><br>CBG        |
| <b>0.00 mg/unit</b><br>Total CBD            | <b>772.90 mg/unit</b><br>Total THC |
| <b>853.86 mg/unit</b><br>Total Cannabinoids | <b>5.93%</b><br>Total Terpenes     |

## Tests Summary

|                                     |                                  |                             |
|-------------------------------------|----------------------------------|-----------------------------|
| <b>Cannabinoids</b><br>Tested       | <b>Moisture</b><br>Not Tested    | <b>Microbials</b><br>Pass   |
| <b>Water Activity</b><br>Not Tested | <b>Homogeneity</b><br>Not Tested | <b>Terpenes</b><br>Pass     |
| <b>Residual Solvents</b><br>Pass    | <b>Mycotoxins</b><br>Pass        | <b>Heavy Metals</b><br>Pass |
| <b>Pesticides</b><br>Pass           |                                  |                             |

## Dominant Terpenes





# Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

2 of 7

## Bristol Extracts

Order No.: ONYBRI0128-0004568  
4376 State Route 64  
Canandaigua, New York, 14424  
admin@bristolextracts.com

Sample: SNYBRI0128-CVAP-0012460

Unit Weight: 1.0000g  
Batch#: 25028-CN, Batch Size: 1500  
Sample Received: 01/28/2025 06:05  
Report Created: 02/04/2025 19:47  
Sampling SOP 204-NY

## SFG Vape-Chem Noir-1.0g

Concentrates & Extracts, Vape



## Cannabinoids

SOP 801-NY

Date/Time Tested: 01/30/2025 14:39

Tested

| Analyte            | LOQ (ug/mL) | mg/g          | %            | mg/unit       |
|--------------------|-------------|---------------|--------------|---------------|
| CBDV               | 4,173.11    | ND            | ND           | ND            |
| CBDa               | 4,173.11    | ND            | ND           | ND            |
| CBGa               | 4,173.11    | ND            | ND           | ND            |
| CBG                | 4,173.11    | <b>48.31</b>  | <b>4.83</b>  | <b>48.31</b>  |
| CBD                | 4,173.11    | < LOQ         | < LOQ        | < LOQ         |
| THCV               | 4,173.11    | <b>9.90</b>   | <b>0.99</b>  | <b>9.90</b>   |
| CBN                | 4,173.11    | <b>4.70</b>   | <b>0.47</b>  | <b>4.70</b>   |
| D9-THC             | 4,173.11    | <b>772.90</b> | <b>77.29</b> | <b>772.90</b> |
| D8-THC             | 4,173.11    | ND            | ND           | ND            |
| (6aR,9S)-d10-THC   | 4,173.11    | ND            | ND           | ND            |
| (6aR,9R)-d10-THC   | 4,173.11    | ND            | ND           | ND            |
| CBC                | 4,173.11    | <b>18.05</b>  | <b>1.81</b>  | <b>18.05</b>  |
| THCa               | 4,173.11    | ND            | ND           | ND            |
| Total CBD          |             | 0.00          | 0.00         | 0.00          |
| Total THC          |             | <b>772.90</b> | <b>77.29</b> | <b>772.90</b> |
| Total Cannabinoids |             | <b>853.86</b> | <b>85.39</b> | <b>853.86</b> |

### Notes:

**Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC**  
**Total CBD = CBDa \* 0.877 + CBD**  
**Total Cannabinoids = Sum of all cannabinoids**  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Microbials

SOP 401-NY SOP 619-NY

Date/Time Tested: 01/31/2025 15:39

Pass

| Analyte               | LOQ (CFU/g) | Limit (CFU/g) | CFU/g | Status |
|-----------------------|-------------|---------------|-------|--------|
| Aerobic Bacteria      | 1,000       | 10,000        | ND    | Passed |
| E. Coli               |             | 0             | ND    | Passed |
| Yeast & Mold          | 100         | 1,000         | ND    | Passed |
| Salmonella            |             | 0             | ND    | Passed |
| Aspergillus Flavus    |             | 0             | ND    | Passed |
| Aspergillus Fumigatus |             | 0             | ND    | Passed |
| Aspergillus Niger     |             | 0             | ND    | Passed |
| Aspergillus Terreus   |             | 0             | ND    | Passed |

### Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



**Kimberly Krisolofsky**  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

**Bristol Extracts**  
 Order No.: ONYBRI0128-0004568  
 4376 State Route 64  
 Canandaigua, New York, 14424  
 admin@bristolextracts.com

**Sample: SNYBRI0128-CVAP-0012460**  
 Unit Weight: 1.0000g  
 Batch#: 25028-CN, Batch Size: 1500  
 Sample Received: 01/28/2025 06:05  
 Report Created: 02/04/2025 19:47  
 Sampling SOP 204-NY

**SFG Vape-Chem Noir-1.0g**  
 Concentrates & Extracts, Vape



## Terpenes

SOP 620-NY  
 Date/Time Tested: 01/30/2025 17:33

Pass

| Analyte             | LOQ (ug/mL) | Limit (ug/mL) | %            | Status | Analyte          | LOQ (ug/mL) | Limit (ug/mL) | %     | Status |
|---------------------|-------------|---------------|--------------|--------|------------------|-------------|---------------|-------|--------|
| Total Terpenes      |             | 115,000       | <b>5.930</b> | Passed | Eucalyptol       | 164         |               | ND    | Tested |
| b-Caryophyllene     | 164         |               | <b>1.424</b> | Tested | DL-Menthol       | 164         |               | ND    | Tested |
| Limonene            | 164         |               | <b>1.231</b> | Tested | Isoborneol       | 164         |               | ND    | Tested |
| Valencene           | 164         |               | <b>0.917</b> | Tested | Nerol            | 164         |               | < LOQ | Tested |
| a-Bisabolol         | 164         |               | <b>0.528</b> | Tested | Pulegone         | 164         |               | ND    | Tested |
| a-Humulene          | 164         |               | <b>0.474</b> | Tested | g-Terpinene      | 164         |               | ND    | Tested |
| b-Myrcene           | 164         |               | <b>0.329</b> | Tested | Geranyl Acetate  | 164         |               | ND    | Tested |
| Linalool            | 164         |               | <b>0.241</b> | Tested | a-Cedrene        | 164         |               | ND    | Tested |
| b-Pinene            | 164         |               | <b>0.197</b> | Tested | a-Terpinene      | 164         |               | ND    | Tested |
| Fenchol             | 164         |               | <b>0.122</b> | Tested | d-3-Carene       | 164         |               | < LOQ | Tested |
| a-Pinene            | 164         |               | <b>0.118</b> | Tested | Isopulegol       | 164         |               | ND    | Tested |
| Caryophyllene Oxide | 164         |               | <b>0.091</b> | Tested | cis-Nerolidol    | 164         |               | ND    | Tested |
| Terpineol           | 164         |               | <b>0.068</b> | Tested | Fenchone         | 164         |               | ND    | Tested |
| Terpinolene         | 164         |               | <b>0.043</b> | Tested | Guaiol           | 164         |               | ND    | Tested |
| Borneol             | 164         |               | <b>0.037</b> | Tested | p-Cymene         | 164         |               | ND    | Tested |
| a-Phellandrene      | 164         |               | <b>0.031</b> | Tested | Cedrol           | 164         |               | ND    | Tested |
| trans-b-Farnesene   | 164         |               | <b>0.029</b> | Tested | Sabinene         | 164         |               | < LOQ | Tested |
| Camphene            | 164         |               | <b>0.028</b> | Tested | trans-b-Ocimene  | 164         |               | < LOQ | Tested |
| trans-Nerolidol     | 164         |               | <b>0.022</b> | Tested | Sabinene Hydrate | 164         |               | ND    | Tested |
| Geraniol            | 164         |               | ND           | Tested | Camphor          | 164         |               | < LOQ | Tested |

**Notes:**

**LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

OCM-CPL-2022-00001  
 ACT Laboratories (NY)  
 16 Corporate Drive, Halfmoon, New York  
 5172272612  
 kimberlyk@actlab.com

Compliance

Adult Use

4 of 7

**Bristol Extracts**  
 Order No.: ONYBRI0128-0004568  
 4376 State Route 64  
 Canandaigua, New York, 14424  
 admin@bristolextracts.com

**Sample: SNYBRI0128-CVAP-0012460**  
 Unit Weight: 1.0000g  
 Batch#: 25028-CN, Batch Size: 1500  
 Sample Received: 01/28/2025 06:05  
 Report Created: 02/04/2025 19:47  
 Sampling SOP 204-NY

**SFG Vape-Chem Noir-1.0g**  
 Concentrates & Extracts, Vape



## Residual Solvents

SOP 612-NY  
 Date/Time Tested: 01/30/2025 15:04

Pass

| Analyte                              | LOQ (ug/g) | Limit (ug/g) | ug/g  | Status |
|--------------------------------------|------------|--------------|-------|--------|
| 1,2-Dichloroethane                   | 2          | 5            | ND    | Passed |
| Acetone                              | 43         | 5,000        | ND    | Passed |
| Acetonitrile                         | 17         | 410          | ND    | Passed |
| Benzene                              | 2          | 2            | ND    | Passed |
| Butane                               | 43         | 5,000        | ND    | Passed |
| Chloroform                           | 2          | 60           | ND    | Passed |
| Ethanol                              | 214        | 5,000        | < LOQ | Passed |
| Ethyl Acetate                        | 214        | 5,000        | ND    | Passed |
| Ethyl Ether                          | 21         | 5,000        | ND    | Passed |
| DMSO                                 | 107        | 5,000        | ND    | Passed |
| Heptane                              | 21         | 5,000        | ND    | Passed |
| Hexanes                              | 6          | 290          | < LOQ | Passed |
| Isopropyl Alcohol                    | 214        | 5,000        | ND    | Passed |
| Methanol                             | 128        | 3,000        | ND    | Passed |
| Methylene Chloride                   | 3          | 600          | ND    | Passed |
| Pentanes                             | 64         | 5,000        | ND    | Passed |
| Propane                              | 21         | 5,000        | ND    | Passed |
| Toluene                              | 4          | 890          | ND    | Passed |
| Trichloroethane                      | 5,348      | 1,500        | ND    | Passed |
| Xylenes                              | 282        | 2,170        | ND    | Passed |
| 1,1,1,2-Tetrafluoroethane (HFC-134a) | 21         | 1,000        | ND    | Passed |

**Notes:**  
**LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.**

## Mycotoxins

SOP 808-NY  
 Date/Time Tested: 01/29/2025 13:50

Pass

| Analyte | LOQ (ng/g) | Limit (ng/g) | ng/g | Status | Analyte          | LOQ (ng/g) | Limit (ng/g) | ng/g | Status |
|---------|------------|--------------|------|--------|------------------|------------|--------------|------|--------|
| B1      | 5.0        |              | ND   | Tested | Ochratoxin A     | 5.0        | 20.0         | ND   | Passed |
| B2      | 5.0        |              | ND   | Tested | Total Aflatoxins |            | 20.0         | ND   | Passed |
| G1      | 5.0        |              | ND   | Tested | Total Mycotoxins |            |              | ND   | Tested |
| G2      | 5.0        |              | ND   | Tested |                  |            |              |      |        |

**Notes:**  
**LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**



**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

5 of 7

Bristol Extracts  
Order No.: ONYBRI0128-0004568  
4376 State Route 64  
Canandaigua, New York, 14424  
admin@bristolextracts.com

Sample: SNYBRI0128-CVAP-0012460  
Unit Weight: 1.0000g  
Batch#: 25028-CN, Batch Size: 1500  
Sample Received: 01/28/2025 06:05  
Report Created: 02/04/2025 19:47  
Sampling SOP 204-NY

SFG Vape-Chem Noir-1.0g  
Concentrates & Extracts, Vape



## Heavy Metals

SOP 250-NY  
Date/Time Tested: 01/31/2025 12:23

Pass

| Analyte  | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|----------|------------|--------------|------|--------|
| Antimony | 0.181      | 2.000        | ND   | Passed |
| Arsenic  | 0.181      | 0.200        | ND   | Passed |
| Cadmium  | 0.181      | 0.200        | ND   | Passed |
| Chromium | 0.181      | 110.000      | ND   | Passed |
| Copper   | 0.217      | 30.000       | ND   | Passed |
| Mercury  | 0.043      | 0.100        | ND   | Passed |
| Nickel   | 0.217      | 2.000        | ND   | Passed |
| Lead     | 0.181      | 0.500        | ND   | Passed |

**Notes:**  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



**Kimberly Krisolofsky**  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

**Bristol Extracts**  
 Order No.: ONYBRI0128-0004568  
 4376 State Route 64  
 Canandaigua, New York, 14424  
 admin@bristolextracts.com

**Sample: SNYBRI0128-CVAP-0012460**  
 Unit Weight: 1.0000g  
 Batch#: 25028-CN, Batch Size: 1500  
 Sample Received: 01/28/2025 06:05  
 Report Created: 02/04/2025 19:47  
 Sampling SOP 204-NY

**SFG Vape-Chem Noir-1.0g**  
 Concentrates & Extracts, Vape



## Pesticides

SOP 814-NY  
 Date/Time Tested: 01/29/2025 12:35

Pass

| Analyte               | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|-----------------------|------------|--------------|------|--------|
| Abamectin             | 0.37       | 0.50         | ND   | Passed |
| Acephate              | 0.10       | 0.40         | ND   | Passed |
| Acequinocyl           | 0.10       | 2.00         | ND   | Passed |
| Acetamiprid           | 0.10       | 0.20         | ND   | Passed |
| Aldicarb              | 0.10       | 0.40         | ND   | Passed |
| Azoxystrobin          | 0.10       | 0.20         | ND   | Passed |
| Bifenazate            | 0.10       | 0.20         | ND   | Passed |
| Bifenthrin            | 0.10       | 0.20         | ND   | Passed |
| Boscalid              | 0.10       | 0.40         | ND   | Passed |
| Carbaryl              | 0.10       | 0.20         | ND   | Passed |
| Carbofuran            | 0.10       | 0.20         | ND   | Passed |
| Chlorantraniliprole   | 0.10       | 0.20         | ND   | Passed |
| Chlorpyrifos          | 0.10       | 0.20         | ND   | Passed |
| Clofentezine          | 0.10       | 0.20         | ND   | Passed |
| Coumaphos             | 0.10       | 1.00         | ND   | Passed |
| Cyfluthrin            | 0.48       | 1.00         | ND   | Passed |
| Cypermethrin          | 0.10       | 1.00         | ND   | Passed |
| Daminozide            | 0.10       | 1.00         | ND   | Passed |
| Diazinon              | 0.10       | 0.20         | ND   | Passed |
| Dichlorvos            | 0.10       | 1.00         | ND   | Passed |
| Dimethoate            | 0.10       | 0.20         | ND   | Passed |
| Dimethomorph          | 0.10       | 1.00         | ND   | Passed |
| Ethoprophos           | 0.10       | 0.20         | ND   | Passed |
| Etofenprox            | 0.10       | 0.40         | ND   | Passed |
| Etoxazole             | 0.10       | 0.20         | ND   | Passed |
| Fenhexamid            | 0.10       | 1.00         | ND   | Passed |
| Fenoxycarb            | 0.10       | 0.20         | ND   | Passed |
| Fenpyroximate         | 0.10       | 0.40         | ND   | Passed |
| Fipronil              | 0.10       | 0.40         | ND   | Passed |
| Fonicamid             | 0.10       | 1.00         | ND   | Passed |
| Fludioxonil           | 0.10       | 0.40         | ND   | Passed |
| Hexythiazox           | 0.10       | 1.00         | ND   | Passed |
| Imazalil              | 0.10       | 0.20         | ND   | Passed |
| Imidacloprid          | 0.10       | 0.40         | ND   | Passed |
| Indole-3 Butyric Acid | 0.12       | 1.00         | ND   | Passed |
| Kresoxim Methyl       | 0.10       | 0.40         | ND   | Passed |
| Malathion             | 0.10       | 0.20         | ND   | Passed |
| Mevinphos             | 0.10       | 1.00         | ND   | Passed |
| Metalaxyl             | 0.10       | 0.20         | ND   | Passed |
| Methiocarb            | 0.10       | 0.20         | ND   | Passed |
| Methomyl              | 0.10       | 0.40         | ND   | Passed |



*Kimberly Krisolofsky*

**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

**Bristol Extracts**  
 Order No.: ONYBRI0128-0004568  
 4376 State Route 64  
 Canandaigua, New York, 14424  
 admin@bristolextracts.com

**Sample: SNYBRI0128-CVAP-0012460**

Unit Weight: 1.0000g  
 Batch#: 25028-CN, Batch Size: 1500  
 Sample Received: 01/28/2025 06:05  
 Report Created: 02/04/2025 19:47  
 Sampling SOP 204-NY

**SFG Vape-Chem Noir-1.0g**  
 Concentrates & Extracts, Vape



| Analyte              | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|----------------------|------------|--------------|------|--------|
| MGK-264              | 0.01       | 0.20         | ND   | Passed |
| Myclobutanil         | 0.10       | 0.20         | ND   | Passed |
| Naled                | 0.10       | 0.50         | ND   | Passed |
| Oxamyl               | 0.10       | 1.00         | ND   | Passed |
| Paclobutrazol        | 0.10       | 0.40         | ND   | Passed |
| Permethrin           | 0.10       | 0.20         | ND   | Passed |
| Phosmet              | 0.10       | 0.20         | ND   | Passed |
| Piperonyl Butoxide   | 0.10       | 2.00         | ND   | Passed |
| Prallethrin          | 0.10       | 0.20         | ND   | Passed |
| Propiconazole        | 0.10       | 0.40         | ND   | Passed |
| Propoxur             | 0.10       | 0.20         | ND   | Passed |
| Pyrethrins           | 0.07       | 1.00         | ND   | Passed |
| Pyridaben            | 0.10       | 0.20         | ND   | Passed |
| Spinetoram           | 0.10       | 1.00         | ND   | Passed |
| Spinosyn AD          | 0.10       | 0.20         | ND   | Passed |
| Spiromesifen         | 0.10       | 0.20         | ND   | Passed |
| Spirotetramat        | 0.10       | 0.20         | ND   | Passed |
| Spiroxamine          | 0.10       | 0.20         | ND   | Passed |
| Tebuconazole         | 0.10       | 0.40         | ND   | Passed |
| Thiacloprid          | 0.10       | 0.20         | ND   | Passed |
| Thiamethoxam         | 0.10       | 0.20         | ND   | Passed |
| Trifloxystrobin      | 0.10       | 0.20         | ND   | Passed |
| Captan               |            | 1.00         | TIC  | Passed |
| Methyl Parathion     | 0.10       | 0.20         | ND   | Passed |
| Chlordane            | 0.10       | 1.00         | ND   | Passed |
| Chlorfenapyr         | 0.10       | 1.00         | ND   | Passed |
| PCNB                 | 0.10       | 1.00         | ND   | Passed |
| Azadirachtin         | 0.12       | 1.00         | ND   | Passed |
| Chlormequat Chloride | 0.02       | 1.00         | ND   | Passed |

**Notes:**

**LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.**




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.